Fluke Multimeters

Fluke-73-3

Fluke-179

Fluke-87-5

Fluke-189

Fluke-1577/1587

Fluke-1507

Fluke-1520

Model Number	Description		
	Digital Multimeters		
Fluke-12	Digital Multimeter Cat III, 600V		
Fluke-16	Digital Multimeter w/Temperature Cat III, 600V		
Fluke-16/322 Kit	16 Multimeter, 322 Clampmeter, TL75 Test Leads, 80BK temperature probe, C800 carry case. (HVAC Kit)		
Fluke 110	True RMS Multimeter Cat III, 600V		
Fluke 111	Fluke 110 with Current		
Fluke 112	Fluke 110 with Current & backlight display		
Fluke-112/322 Kit	112 Multimeter, 322 Clampmeter, TL75 Test Leads, C800 carry case (Electrical Kit)		
Fluke-27 (YEL)	Analog/Digital Multimeter, Yellow, Cat III, 1000V and Cat IV, 600V		
Fluke-45 INTL	Dual Display Multimeter		
Fluke-45-01 INTL	Dual Display Multimeter w/Rechargeable Battery		
Fluke-45-01K	Rechargeable Battery Kit (C)		
Fluke-45-05 INTL	Dual Display Multimeter w/IEEE-488.2 Interface		
Fluke-45-05K	IEEE-488.2 Interface Kit (C)		
Fluke-45-15 INTL	Dual Display Multi. w/Rech. Bat. & IEEE-488.2 Interface		
Fluke-73-3	Multimeter, 600V Cat II only		
Fluke-77-3	Multimeter, 1000V Cat II only		
Fluke-78 INTL	Automotive Meter w/RPM, Dwell, Temp.		
Fluke 175	True RMS Multimeter Cat III, 1000V and Cat IV, 600V		
Fluke 177	Fluke 175 with Backlight Display		
Fluke 179	Fluke 175 with Backlight Display & Temp		
Fluke-179/TPAK	179 Multimeter + TPAK Kit		
Fluke-179/EDA Kit	179 Multimeter, TL24 Leads, TL910 Test Probes, AC80 Clips 80BK temperature probe, C800 carry case. (Electronics Kit)		
Fluke-179/1AC Kit	179 Multimeter, 1AC-A Voltage Tester, TL24 Test Leads TP20 Probes, AC20 Clips, 80BK temp probe, C800 case		
Fluke-179/61 Kit	179 Multimeter, 61 IR Thermometer and C800 Case (Indus. Kit)		
Fluke-83-5	Analog/Digital Multimeter Cat III, 1000V and Cat IV, 600V		
Fluke-87-5	Fluke 83-5 with ASD filter feature, True RMS & Temp		
Fluke-87-5/E kit	Fluke 87-5 w C800 case, 80BK, TL222, AC220, TL238 & Tpak		
Fluke-88-5	Automotive Meter		
Fluke 187	True RMS Multimeter Cat III, 1000V and Cat IV, 600V		
Fluke 189	Fluke 187 with stand alone logging		
Fluke-189/FVF2	Fluke 189, BP189 Battery Pack, USB Lead, C25 Case, Software		
	Insulation Testers - Cat III, 1000V and Cat IV, 600V		
Fluke-1577	Insulation Multimeter - 500V, 1000V Test Voltages		
Fluke-1587	Insulation Multimeter - 50V, 100V, 250V, 500V, 1000V Test Voltages		
Fluke-1587T	Insulation Multimeter (Telecom) - 50V, 100V Test Voltages		
Fluke-1587ET	Advanced Kit - includes 1587, i400 clamp & 62 Thermometer		
Fluke-1587MDT	Motor & Drive Kit - includes 1587, i400 clamp & 9040 Phase Indicator		
Fluke-1507	Insulation Tester - 50V, 100V, 250V, 500V, 1000V - 0.01MΩ to 10GΩ		
Fluke-1503	Insulation Tester - 500V, 1000V - 0.1MΩ to 2GΩ		
	Insulation Testers - Cat III, 600V		
Fluke 1520	1kV Megohmmeter Cat III, 600V		
Fluke 1550B	Improved 5kV Megohmmeter, Cat III, 600V		

Fluke Testers

T5-1000

1AC-A

LVD1

Fluke-337

Fluke-43B/007

Fluke-65

Fluke 62

Fluke 57x Series

Fluke 971

Model Number	Description		
	Electrical Testers		
Fluke-7-600	Electrical Tester, 600V (Cat III, 600v)		
T3WF	Electrical Tester (Cat III, 1000V)		
T5-1000	Electrical Tester (Cat III, 1000v & Cat IV, 600V)		
T5-600	Electrical Tester (Cat III, 600V)		
T50	Electrical Tester 12-690V AC/DC		
T100	Electrical Tester 12-690V AC/DC		
T120	Electrical Tester 12-690V AC/DC, LCD Indication		
T140	Electrical Tester 12-690V AC/DC, LCD Indication, Backlit Display		
1AC-A	Non-contact AC VoltAlert		
LVD1	Non-contact AC Voltage Detector & Flashlight with Clamp		
Fluke-2042	Professional Cable Locator		
Fluke-2042T	Spare Transmitter		
Fluke-9040	Phase Rotation Indicator		
Fluke-9062	Motor and Phase Indicator		
	Clampmeters		
Fluke-321	400A AC & Volts AC small Clamp meter		
Fluke-322	400A AC & Volts AC/DC small Clampmeter		
Fluke-333	400A AC & Volts AC/DC Clampmeter		
Fluke-334	600A AC & Volts AC/DC Clampmeter w Inrush		
Fluke-335	True RMS 600A AC & Volts AC/DC Clampmeter w Inrush		
Fluke-336	True RMS 600A AC/DC & Volts AC/DC Clampmeter w Inrush		
Fluke-337	True RMS 1000A AC/DC & Volts AC/DC Clampmeter w Inrush		
	All clamp meters are Cat III, 600V		
	Power Quality		
Fluke-43B/007	Power Quality Analyser, Cat III, 600V		
VR101/007	Voltage Event Recorder Cat III, 300V		
VR101S/667	Voltage Event Recorder System		
	Multifunction Installation Tester		
Fluke 1651	Multifunction Installation Tester, Cat III, 500V		
Fluke 1652	Fluke 1651 with advanced RCD testing		
Fluke 1653	Fluke 1652 advanced with PC Port, Earth & Phase Sequence		
ES165X	Earth Spike Test Kit for Fluke 1653		
	Thermometers, Humidity Meters		
Fluke-51-2	Single Input Thermometer		
Fluke-52-2	Dual Input Thermometer		
Fluke-53-2	Single Input Thermometer with Recording		
Fluke-54-2	Dual Input Thermometer with Recording		
Fluke-61	Infrared Thermometer		
Fluke-62	Mini IR thermometer		
Fluke-63	Infrared Thermometer		
Fluke-65	Infrared Thermometer		
Fluke-66	Adjustable Infrared Thermometer		
Fluke-68	Adjustable Infrared Thermometer		
Fluke-68IS	Adjustable Infrared Thermometer Class I, Div 1 rating NOT IECEX		
Fluke-572	Infrared Thermometer 535 C		
Fluke-572CF	Infrared Thermometer 535 C w/Close Focus		
Fluke-574	Adjustable Infrared Thermometer 535 C		
Fluke-574CF	Adjustable Infrared Thermometer 535 C w/Close Focus		
Fluke-574-NI	Adjustable Infrared Thermometer Class I, Div 2 rating NOT IECEX		
Fluke-576	Adjustable Infrared Thermometer 535 C		
Fluke-576CF	Adjustable Infrared Thermometer 535 C w/Close Focus		
Fluke 971	Temperature Humidity Meter		

Fluke Accessories

80AK

80K-6

80PK-8

80T-150U

80TK

AC220

AC285

AC72

AC87

C10

C12A

Model Number	Description	
	Accessories	
80CK-M	Male Mini-Connector K Type	
80CJ-M	Male Mini-Connector J Type	
80AK	Thermocouple Adapter	
80BK	Type K integrated DMM probe	
80I-400	AC Current Probe, 400A	
80I-600A	AC Current Probe, 600A	
80K-15	Electronic Air cleaner High Voltage Probe	
80K-40	40kV High Voltage Probe	
80K-6	6KV High Voltage Probe	
80PJ-1	J-Type Bead Probe	
80PJ-9	J-Type Lance Tip Probe	
80PJ-EXT	J-Type Extension Probe	
80PK-EXT	K-Type Extension Probe	
80PK-1	K-Type Bead Probe	
80PK-22	K-Type Immersion Probe	
80PK-3A	K-Type Surface Probe	
80PK-24	K-Type Air Probe	
80PK-25	K-Type Piercing Probe	
80PK-26	K-Type Exposed Junction Probe	
80PK-27	K-Type Surface Probe, Ruggedized	
80PK-8	K-Type Thermocouple Probe, Pipe Clamp	
80PK-9	K-Type Lance Tip Probe	
80PK-IR	Infrared Thermocouple Probe	
80PR-60	RTD Temperature Probe for Fluke 63, 66 and 68	
80PT-25	T-Type piercing Probe	
80PT-EXT	T-Type Extension Probe	
80T-150U	Universal Temperature Probe	
80T-IR	Infrared Thermometer Probe	
80TK	K-Type Thermocouple Converter	
85RF	High Frequency Probe (500MHz)	
87 retro kit	Contains: C81Y, DR80, TL71, AC72 and two fuses	
AC220	SureGrip Alligator Clips (9.5mm)	
AC280	SureGrip Hook Clips	
AC283	SureGrip Pincer Clips	
AC285	SureGrip Alligator Clips (19mm)	
AC72	Alligator Clip Set (8mm) for TL71 and TL75	
AC86	Large Jaw Alligator Clips	
AC87	Bus Bar Clip	
AC89	Insulation Piercing Clip	
AN5	mV/Degree analog data cable	
BP189	High Capacity Battery Pack for 180 Series	
BP880	BNC to Female Double Stacking Banana Plug	
BP881	BNC to Male Double Stacking Banana Plug	
BP980	Dual Banana Plug Kit	
C10	Holster, Yellow, for Fluke-12	
C100	Hard Case for all Fluke Handheld DMMs	
C101	Hard Case	
C12A	Soft Carrying Case for Fluke-12	
C1600	Hard Tool Case	
C20	Hard Case for Fluke 27	

Fluke Accessories

C25

C43

C550

C81Y

Fluke-CO-210

H5

I410-kit

L211

Model Number	Description	
	Accessories	
C23	Soft Carrying Case Vinyl Black to suit 320 series	
C25	Ruggedized Soft Case for 27. 80 series, 180 series, 787 and 789	
C33	Soft Carrying Case to suite 330 series & T5 Electrical Tester	
C43	Soft Carrying Case to suite 4X series	
C50	Soft Case for 21/23/51/73/75/77	
C510	Meter Case, Leather, Large	
C520A	Tester Case, Leather, Small (for T5)	
C530	Leather Accessory Case	
C550	Premium Tool Bag	
C570	Holster for Fluke-572/574/576	
C70Y	Holster with Flex-Stand (Yellow)	
C75	Test Lead Case	
C800	Hard Carrying Case	
C81Y	Yellow Holster for Fluke 80 Series (replaced by H80M)	
C90	Vinyl Carrying Case for all Handheld DMMs	
FLUKE-CO-205	Carbon Monoxide Aspirator Probe Accessory	
FLUKE-CO-210	Carbon Monoxide Sensor Accessory	
Fluke-CO-220	Carbon Monoxide Meter	
FOM	Fibre Optic Meter Accessory	
FOS 850	Fibre Optic Source (850)	
FOS 850/1300	Fibre Optic Source (850 / 1300)	
FVF-BASIC	Software & cable for Fluke 189 & 789	
FVF-SC1	Software & cable for 53, 54 and 80-4 series	
FVF-SC2	Software & cable for 180 series, 789, 1550B and 1653 (USB)	
FVF-SC3	Software & cable for Fluke 45	
FVF-UG	Upgrade FVF-Basic to full version of FVF-SC2	
H3	Holster for the 330 series Clampmeters	
H5	Holster, Belt, Accessory for the T3/T5	
H6	Holster for Fluke 63, 66 & 68	
H900	Test Lead Holder	
H80M	Holster for Fluke 80-5 series	
I1010	AC/DC Current Clamp, 1000A,DC,600A,AC	
I1010-kit	I1010 clamp with case	
I200	240A AC Current Probe for DMMs	
I400	400A AC Current Probe for DMMs	
I410	400A AC/DC Current Clamp	
I410-kit	I410 clamp with case	
IR189USB	USB/IR Cable & adapter	
L200	Probe Light	
L205	Base Ball Cap light (light only)	
L206	Hard Had light (light only)	
L207	Base Ball Cap and light	
L210	Probe light and 2 probe extenders	
L211	Probe Light Kit	
L215	Sure Grip Kit with probe light and extenders	
LPAK80-4	LockPak for 80-4 & 180 Series and models 724 and 725	
MC6	6-Pack MeterCleaner Wipes	
MC50	50-Pack MeterCleaner Wipes	

Fluke Accessories

PV350

T5-Kit

TL Leads

TL910

TLK225

TP220

TP Probes

Model Number	Description	
	Accessories	
PV350	Pressure/Vacuum Module	
RPM80	Inductive Pickup	
T5-Kit	TP220, AC285 and C33	
TL220	SureGrip Industrial Test Lead Set	
TL221	Extension Leads	
TL222	SureGrip Silicone Test Leads	
TL223	SureGrip Electrical Test Lead Set	
TL224	SureGrip Silicone Test Leads	
TL225	Stray Voltage Eliminator Test Leads (SV225, TL224, TP220, C75)	
SV225/10PAK	As above (10 pack)	
TL238	SureGrip High Energy Test Lead Set	
TL26A	5-Way Multipoint Test Lead Set	
TL27	Heavy Duty Test Lead Set	
TL28A	Heavy Duty Test Lead Set	
TL40	Retractable Tip Test Lead Set	
TL71	Premium Test Lead Set	
TL75	Standard Replacement Test Lead Set	
TL76	2mm/4mm Test Lead Set	
TL80A	6 Piece Basic Electronic Test Lead Set	
TL81A	22 Piece Deluxe Electronic Test Lead Set	
TL82	Automotive Pin & Socket Adaptor Set	
TL910	Electronic Test Probes w Replacement Tips	
TL930	61cm Patch Cords	
TL932	91cm Patch Cords	
TL935	Patch Cord Kit (61cm, 91cm and 122cm)	
TL940	Mini-Hook Test Leads	
TL950	Mini-Pincer Test Leads	
TL960	Micro-Hook Test Leads	
TL970	Hook and Pincer Kit	
TLK220	Industrial Test Lead Kit (AC220, AC285, TP220, TL224, case)	
TLK225	Master Acc. Set (AC220, AC280, AC283, AC285, TP220, TL224)	
TLK281	Automotive Test Lead Kit	
TLK282	Deluxe Automotive Test Lead Kit	
TLK290	Test Probe Kit	
TPAK	ToolPak for 75-3, 77-3, 79-3 & 80-4, 110, 170 and 180 series	
TP1	Test Probes, Slim-Reach, Flat Blade	
TP165X	Remote Test probe	
TP2	Test Probes, Slim-Reach, Flat Blade	
TP220	Test Probe	
TP38	Insulated Test Probe	
TP4	Test Probes, Slim-Reach, 4MM Diameter	
TP40	Automotive Back Probe Pin Set	
TP74	Lantern Tip Test Probe	
TP80	Electronic Test Probe	
TP81	Insulation Piercing Probe w Banana Jack	
TP82	Insulation Piercing Probe slides on Test Probes	
TP84	Oxygen Sensor Insultion Piercing Probe	
TP88	Rigid Back Probe Pins	
TP912	Replacement Tips for TL910	
TP920	Test Probe Adaptor Kit	

Fluke
Process Calibration

C789

Fluke-700P

Model Number	Description	
	Process Calibration	
BC7217 Intl	Battery Charger for BP7217 and BP7235	
BE9005OZE	Australian/New Zealand Battery Eliminator (240V)	
BP7217	NiCad Battery Pack	
BP7235	NiMH Battery Pack	
C700	Hard Carry Case	
C781	Small Soft Carrying Case	
C789	Large Soft Carrying Case for 740 series	
Fluke-700BCA	Bar Code Adapter for Fluke-743B and 744	
Fluke-700BCW	Bar Code Wand for Fluke-743B and 744	
Fluke-700HTH	High Pressure Hose	
Fluke-700HTP	Hydraulic Test Pump	
Fluke-700ILF	In Line Filter	
Fluke-700IV	Current Shunt	
Fluke-700LTP	Low Pressure Test Pump	
Fluke-700P00	Low Pressure Module 0.2491 kPa	
Fluke-700P01	Pressure Module, 0-10in, H20 Diff.	
Fluke-700P02	Pressure Module, 0-1 PSID	
Fluke-700P03	Pressure Module, 0-5 PSID	
Fluke-700P04	Pressure Module, 0-15 PSID	
Fluke-700P05	Pressure Module, 0-30 PSIG	
Fluke-700P06	Pressure Module, 0-100 PSIG	
Fluke-700P07	Pressure Module, 0-500 PSIG	
Fluke-700P08	Pressure Module, 0-1000 PSIG	
Fluke-700P09	Pressure Module, 1500 PSIG	
Fluke-700P22	Pressure Module, 0-1 PSID, Wet	
Fluke-700P23	Pressure Module, 0-5 PSID, Wet	
Fluke-700P24	Pressure Module, 0-15 PSID, Wet	
Fluke-700P27	Pressure Module 0-300PSI Wet	
Fluke-700P29	Pressure Module, 3000 PSIG Wet	
Fluke-700P30	Pressure Module, 5000 PSIG Wet	
Fluke-700P31	Pressure Module, 10000 PSIG Wet	
Fluke-700PA3	Pressure Module 0- 5 PSIA	
Fluke-700PA4	Pressure Module 0-15 PSIA	
Fluke-700PA5	Pressure Module 0-30 PSIA	
Fluke-700PA6	Pressure Module 0-100 PSIA	

Fluke
Process Calibration

Fluke-717/718

Fluke 724

Fluke-787

Fluke-789

Fluke 707Ex

Model Number	Description		
	Process Calibration		
Fluke-700PCK	Pressure Module Calibration kit		
Fluke-700PD2	Pressure Module +/- 1 PSID		
Fluke-700PD3	Pressure Module +/- 5 PSID		
Fluke-700PD4	Pressure Module +/- 15 PSID		
Fluke-700PD5	Pressure Module -15+30 PSIG		
Fluke-700PD6	Pressure Module -15+100 PSIG		
Fluke-700PD7	Pressure Module -15 to +200 PSI		
Fluke-700PMP	Pressure Pump		
Fluke-700PRV	Pressure Relief Valve Kit		
Fluke-700PTP	Pneumatic Test Pump		
Fluke-700PV3	Vacuum Module -5 PSID		
Fluke-700PV4	Vacuum Module -15 PSID		
Fluke-700SC	Cable Assembly, serial Interface		
Fluke-700SW	DPC/TRACK		
Fluke-700TC1	Thermocouple mini-plug kit (10 types)		
Fluke-700TC2	Thermocouple mini-plug kit (5 types)		
Fluke-705	Loop Calibrator		
Fluke-707	Loop Calibrator with Dial interface		
Fluke-712	RTD Calibrator		
Fluke-714	Thermocouple Calibrator		
Fluke-715	Volt/ mA Calibrator		
Fluke-717-30	Pressure Calibrator, 30 PSIG		
Fluke-717-100	Pressure Calibrator, 100 PSIG, English Manual		
Fluke-718-30	Pressure Calibrator, 30 PSIG, English Manual		
Fluke-718-100	Pressure Calibrator, 100 PSIG, English Manual		
Fluke 724	Temperature Calibrator		
Fluke-725	Multifunction Calibrator - Non Documenting		
Fluke-726	Multifunction Calibrator		
Fluke-741B INTL	Documenting Process Calibrator		
Fluke-743B INTL	Documenting Process Calibrator		
Fluke-744 Intl	Documenting Process Calibrator - HART		
Fluke-787	ProcessMeter		
Fluke-787CAL	Calibration Module (100v, 120V, 230V, 240V, 240AN)		
Fluke-789	ProcessMeter		
	Process Calibration - Intrinsically Safe		
Fluke 700P01Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P05Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P06Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P09Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P24Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P27Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700PA4Ex	Intrinsically Safe Pressure Calibrator		
Fluke 700P29Ex	Intrinsically Safe Pressure Calibrator		
Fluke 707Ex	Intrinsically Safe Loop Calibrator		
Fluke 718Ex-30	Intrinsically Safe Pressure Calibrator, 30 PSIG		
Fluke 718Ex-100	Intrinsically Safe Pressure Calibrator, 100 PSIG		
Fluke 725Ex	Intrinsically Safe Process Calibrator		

Fluke Scopemeters

C120

C195

Fluke-124/007

Fluke 196C/SCC

Model Number	Description	
	Scopemeters	
80I-110S	AC/DC Current Probe, ScopeMeter	
80I-500S	AC Current Probe, Oscilloscope, 500 Amps	
90I-610S	AC/DC Current Probe, ScopeMeter	
AC120	Alligator Clip Set (set of 3; red, grey & black) for Fluke-123 &124	
AS200-G	Probe Accessory Set Grey for VP200 probe only	
AS200-R	Probe Accessory Set Red for VP200 probe only	
BB120	Set of 2 Banana to BNC Adapter	
BC190/807	Australian Battery Charger for 190 series	
BC190/808	Universal Battery Charger for 190 series	
BP120	Battery Pack for Fluke 12X series	
BP130	NiMH 7 Hours Battery for Fluke 124	
BP190	Battery Pack NIMH for Fluke 190 Series	
C120	Hard Carry Case for Fluke 12X series	
C125	Soft Carry Case for Fluke 12X series	
C190	Hard Carry Case for Fluke 190 series	
C195	Soft Carry Case for Fluke 190 series	
CS20MA	4-20mA Current Shunt	
DP120	Differential Probe	
Fluke-123/007	20MHz Industrial ScopeMeter	
Fluke-123/007SCC	20MHz Industrial ScopeMeter w/SCC	
Fluke-124/007	40MHz Industrial ScopeMeter	
Fluke-124/007SCC	40MHz Industrial ScopeMeter w/SCC	
Fluke 192B/007	Standard 60 MHz Scope meter	
Fluke 192B/SCC	Standard 60 MHz Scope meter C/w SCC 190 Pack	
Fluke 196B/007	Standard 100 MHz Scope meter	
Fluke 196B/SCC	Standard 100 MHz Scope meter C/w SCC 190 Pack	
Fluke 196C/007	100MHz ScopeMeter w colour screen	
Fluke 196C/SCC	100MHz ScopeMeter w colour screen w SCC190 pack	
Fluke 196BM	B&W Medical Version of Fluke 196B/007S	
Fluke 196CM	Colour Medical Version of Fluke 196C/007S	
Fluke 199B/007	Standard 200 MHz Scope meter	
Fluke 199B/SCC	Standard 200 MHz Scope meter C/w SCC 190 Pack	
Fluke 199C/007	200MHz ScopeMeter w colour screen	
Fluke 199C/SCC	200MHz ScopeMeter w colour screen w SCC190 pack	
Fluke 199BM	B&W Medical Version of Fluke 199B/007S	
Fluke 199CM	Colour Medical Version of Fluke 199C/007S	
HC120	Set of 2 Hook Clips, red and grey for Fluke-123 and 124	
I1000S	AC Current clamp for Scopes	
I2000Flex	Flexible AC Current Probe	
I200S	240A AC Current Probe for ScopeMeter	
I3000S	AC Current Clamp	
I400S	400A AC only Current Probe	

Fluke Scopemeters

PAC91

PM9093/001

SCC120E/190

Model Number	Description	
	Scopemeters	
ITP120	Isolated Trigger Probe	
MA190	Medical Accessory Kit for 190 series only	
MS190	Medical Firmware Upgrade Kit for 190 series only	
OC4USB	Optically Isolated Interface Adapter (USB)	
PAC91	Print Adapter Cable, Isolated to Parallel	
PM8907/807	Power Adapter/Battery Charger - Aust/NZ for 90 & 120 series	
PM8907/808	Power Adapter/Battery Charger - Universal for 90 & 120 series	
PM9080/101	Optically Isolated Interface Adapter	
PM9081/001	Dual Banana Plug to Female BNC Adaptor	
PM9082/001	Banana Jack to Male BNC Adapter	
PM9086/011	NiCad 5 Hour Battery Pack for 90 series only	
PM9090/001	ScopeMeter Probe Flexible Clip	
PM9091/001	1.5M (5ft) Safety Designed Coax Cable	
PM9092/001	0.5M (1.5ft) Safety Designed Coax Cable	
PM9093/001	Safety Designed BNC T-Connector	
RS200	Probe Replacement Set for VP200 probes only	
SCC120E	Software & Cable Carrying Case for FLK-12X Series	
SCC190	Software, PC Interface and C 190 Carry Case for 190 series	
STL120	Shielded Test Lead Set for FLK-12X Series	
STL90	Shielded Test Lead Set	
SW90W/034EFG	ScopeMeter Softw. (V3 (90 & 120 series) and V4 (120 & 190 series)	
VPS100	10:1 1.2m Voltage Probe Set 100MHz	
VPS100-R	10:1 1.2m Voltage Probe Red Only 100MHz	
VPS121	1:1 1.2m Voltage Probe 12MHz black	
VPS200-G	10:1 1.2m Voltage Probe Grey Only 200MHz	
VPS200-R	10:1 1.2m Voltage Probe Red Only 200MHz	
VPS201	100:1 1.2m Voltage Probe Set 200MHz	
VPS250	10:1 2.5m Voltage Probe Set 75MHz	
VPS40	10:1 probe for Fluke 124 (Black probe only)	

Meterman Test Equipment

30XR

35XR

HD110B HD160B

Clamp-on Meters

DM9

TRH22

TMA10

Model	Description	
	Multimeters/Testers	
30XR	Manual Ranging DMM with non-contact voltage tester	
33XR	Manual Ranging DMM with Temperature and Capacitance	
34XR	True RMS, Auto Ranging DMM with Temperature and Backlight	
37XR	True RMS, Auto Ranging DMM with Component and Logic Test	
38XR	True RMS, Auto Ranging DMM with optical PCInterface	
5XP	3 1/2-digit multimeter w Non-contact VolTect and Magne-Grip	
15XP	3 1/2-digit auto range DMM w Non-contact VolTect and Magne-Grip	
35XP	3 3/4-digit auto range DMM w Non-contact VolTect, Temp and Magne-Grip	
HD110B	3 1/2-digit, T-Shape, True Heavy-Duty,Data Hold	
HD160B	4-digit, True Heavy-Duty, Autoranging, True RMS, Digi-Glo Backlight	
EPM3	Phase Sequence and Motor Rotation Tester	
VT201	Electrical Tester (Min. order qty of 10 units) Not AS61010 Price each	
VT500	2 pole Voltage Tester 12 to 400V AC/DC	
	Clamp-on Meters	
AC40A	3 3/4-digit, AC Mini clamp meter, 400A	
AC50	Compact Clamp Meter for Leakage Current	
AC60	3 3/4-digit, AC DMM, 600A	
AC65	3 3/4-digit, AC True RMS Clamp Meter, 600A	
AC68	3 3/4-digit, AC/DC Clamp Meter, 600A;Freq.,W, Data Hold, Peak Hold, DC Zeroing	
AC71	Automatic AC Clamp Multimeter	
AC75	3 3/4-digit, AC clamp w temp, DMM functions and backlight	
AD40A	3 3/4-digit, AC Mini Ammeter, 400A	
AD105	3 3/4-digit, AC/DC Ammeter , 1000A, Freq., True-RMS	
	Pocket Size Meters	
AM8	Analog, 500VAC/DC, DCA, Resistance, Battery Test	
DM7	3 1/2-digit, 600VAC/DC, DCA, Resistance, Battery Test	
DM73B	3 3/4-digit, Pen-type, Autoranging, Probe Hold	
DM78A	3 3/4-digit, Autoranging, Small Credit-card Size	
DM9	3 3/4-digit, 600VAC/DC Autoranger, Resistance,Diode, Battery Test	
PM51	Pocket Multimeter with Frequency & Capacitance	
PM53	Automatic Pocket Multimeter with Holster & VolTect	
PM55	Deluxe Automatic Pocket Multimeter with Holster, Case & VolTect	
	Other Testers	
TRH22	Relative Humidity and Temperature Meter	
TMD90	Dual Input Thermometer w triple display	
TMA10	Anemometer w flexible precision vane	
TM-SW	RS232 cable and software for TMD90 and TMA10	
TPP1-C	Immersion Probe Pocket Thermometer	
TPP2-C	Surface Probe Pocket Thermometer	
	Replaced Meterman Multimeters	
5XL is replaced by the 5XP		
10XL & 15XL are replaced by the 15XP		
16XL & 35XL are replaced by the 35XP		
23XT is replaced by the 33XR		
25XT is replaced by the 34XR		
27XT, 220, 2015, 2030, RMS225A, 320B & 85XT are replaced by the 37XR		
28XT is replaced by the 34XR		
235, HD110 & HD110T are replaced by the 38XR		
HD115B is replaced by the HD160B		
ECB50, ELS2, ST101, ST102, VT101 & VT102 are NOT for sale in Australia and New Zealand		

Meterman Test Equipment



Current Clamps

Model	Description	
	Current Clamps	
CT231A	150 Amp AC	
CT235	1000 Amp DC/AC	
CT237	200 Amp DC/AC	
CT238	20 Amp DC/AC	

	RS232 cable and Software for 38XR	
38SW	RS232 cable and software for the Meterman 38XR DMM	

TL36

DL248C

	Test Leads and Probe Tips	
TL35A	Standard (4mm) with EN61010-2 Safety Approved Alligator Clips	
AL35	Screw-on Alligator Clips for TL35, EN61010-2 Approved Version	
TL-EPM3	EPM3 replacement test lead set	
TL36	XR series replacement test lead set	
TL73B	Standard Ground Lead	
DL243C	Basic Test Lead Kit, IEC1010-2 Safety Approved	
DL248C	Deluxe Test Lead Kit, IEC1010-2 Safety Approved	
TL911	Silicone Lead Wire Set, IEC1010-2 Safety Approved	
TL912	Std. Test Probes; 0.08" Tip; IEC1010-2, Requires TL911, DL243C or DL248C	
TL913	Flexible Pincer Tip Probes; IEC1010-2, Requires TL911, DL243C or DL248C	
TL914	Needle Tip Probes; IEC1010-2 , Requires TL911, DL243C or DL248C	
TL915	Alligator Clips; IEC1010-2, Requires TL911, DL243C or DL248C	
TL916	Spade Lug Tips,four(4) pack; IEC1010-2, Requires TL911, DL243C or DL248C	
TP73B	Replacement Probe Tip for DM73B	

	High-voltage Probe	
HV231-10	40kVDC, 10Mohm input	

	Multimeter Replacement Fuses	
FP100	10A/1000V for 33XR, 34XR, 37XR & 38XR (Qty 2)	
FP125	0.1A/250V for HD115B, 16XL, 35XL, CR50 & LCR55 (Qty 4)	
FP150	200mA/250V for AM8 & DM7 (Qty 4)	
FP160	10A/600V for 30XR only (Qty 2)	
FP225	0.5A/250V for all XL meters and DM9 (Qty 4)	
FP260	2A/600V for HD meters only (Qty 4)	
FP300	0.315A/1000V for 33XR & 34XR only (Qty 4)	
FP375	250mA/500V for 30XR & HD160B (Qty 4)	
FP400	10A/600V for 10XL, 15XL, 16XL & 35XL (Qty 4)	
FP425	20A/600V for HD160B only (Qty 2)	
FP500	0.5A/1000V for 37XR & 38XR only (Qty 4)	
FP900	Fuses for EPM3	
FP600	15A/600V for HD meters only (Qty 2)	

Meterman Test Equipment

IR608

DC205B

Model	Description	
	Component Testers, Continuity Testers and Logic Probes	
CR50	Capacitance & Resistance Meter	
LCR55	Digital LCR Meter, Induct., Resistance	
SF10	Short Finder Brush Continuity Tester	
LP10A	Logic Probe, 17MHz	
LP25A	Logic Probe, 25MHz, with Beeper	
	Thermometers and Temperature Accessories	
IR608	Infrared Thermometer w Laser Pointer (Pistol Grip)	
IR610	Infrared Thermometer w Laser Pointer	
TM45	Thermometer, F/C,1/0.1, Type K Thermocouple, Stick Style	
TC253A	Temperature Converter,F/C , Type K Thermocouple, 1mV/degree output	
TP225	XR series Thermocouple	
TP254	Immersion Probe w/Built-inHandle, Type K Temperature Probe	
TP255	Bead type, Type K	
XR-TA	Temperature Adaptor for XR series only	
	Digital Light Meter	
LM631	Digital Light Meter up to 20,000 lux	
	Bench-Top Meters	
BDM40E	4 1/2-digit, True RMS, LED Display, 20A max.	
FG2CE	Function Generator, 3MHz	
FG3CE	Sweep/Function Generator, 3MHz	
	Protective Holsters and Carrying Cases	
H1-XR	Magne-Grip Holster and Strap for 30XR & 38XR only	
H2-XR	Magne-Grip Holster and Strap for 33XR, 34XR & 37XR only	
H10Y	Protective Holster (fits all XL meters & CR50)	
H30Y	Protective Holster (fits LCR55)	
VC11	Carry Case for the DM73B	
VC30	Padded Vinyl (fits LCR55)	
VC221A	Padded Vinyl, Large (fits HD series and all other DMMs)	
DC205B	Deluxe Hard-Shell Case; (fits 220,225A, 235, HD"B")	

Hioki, Kyoritsu & LEM
Appliance & Insulation Testers

HIOKI

Model	Description		
3454-51	HIOKI DIGITAL INSULATION TESTER		

KYORITSU





Model	Description		
6201	KYORITSU PORTABLE APPLIANCE TESTER		
3005A	KYORITSU INSULATION TESTER		
3007A	KYORITSU INSULATION TESTER (BACKLIT & LOK MODE)		

LEM

Model	Description		
SATURN 700E	LEM APPLIANCE SAFETY & PERFORMANCE TESTER		
SATURN 700XE-RS232	AS ABOVE WITH MEMORY, WIN702 SOFTWARE, RS232 INTERFACE & CARRY CASE		
EXT LEAD TESTER	POLARITY TEST OF EXTENSION LEADS USING SATURN 700E		
SATURN CASE	CASE FOR SATURN 700 WITH ACCESSORIES		
RS232 OPTION	INTERFACE FOR SATURN 700 SERIES		
WIN702	DOWNLOAD SOFTWARE FOR SATURN 700XE		
WINPAT	AUST. DATABASE & ASSET MNGMNT S/WARE FOR 700XE		
WINSAT770	TEST & REPORT SOFTWARE FOR SATURN 700XE		
BARCODE READER	FOR SATURN 700 SERIES WITH INTERFACE		

Cabac
Common Tools for Crimping/Cutting

KTC1 PRE-INSULATED TERMINAL CRIMPER - Red, Blue, Yellow

Low cost ratchet terminal crimper for red, blue and yellow pre-insulated terminals. Ratchet operation ensures correct crimp at reduced hand effort.
(Yellow terminals suitable for flexible conductors at 6.0mm2).

Length 230 mm **Weight** 540 g

HP3/1 PRE-INSULATED CRIMPER - With Guard - Precision

Includes a guard to locate terminals correctly in the tool prior to crimping.

Length 235 mm **Weight** 485 g

HNKE5 Bootlace Crimper - 0.5 - 16 mm2

Low cost ratchet crimper for bootlace ferrules (BLP) and uninsulated sleeves 0.5 to 16 mm2. Adjustable ratchet - releasable ratchet.

Length 203 mm **Weight** 400 g

HNKE12 Bootlace Crimper / Stripper / Cutter

This tool combines cutting, stripping and crimping of bootlace ferrules in one tool. Cutting capacity is 6mm2 stranded or 4mm2 solid. Stripping capacity is 0.5 to 6mm2, using the stripping jaw that automatically adjusts to the wire diameter, and strips the insulation 5mm, but does not remove it from the conductor. It will crimp bootlace pins 0.5 to 2.5mm2 in one jaw and 4 to 6mm2 in the other.

Length 160 mm **Weight** 120 g

K40 CABLE CUTTER - General Purpose

Low cost cutter for copper and aluminium conductors up to 70 mm2.
Has parrot beak to ensure cable remains round.

Length 230 mm **Weight** 340 g

KUS1 Cable End Stripper, 0.2-6.0mm2

Cable end stripper for conductors 0.2-6mm2, self adjusting ergonomic pistol design, will not damage conductors or leave “witness marks” on insulation.

Length 200 mm **Weight** 140 g

KTT3 TENSIONERS - CABLE TIE

Heavy duty cable tie tensioner for heavy duty ties. (8.8 mm width).

Length 205 mm **Weight** 400 g

IRISYS

IRYSIS
Infrared Thermal Imager

FEATURES
- Array based detector
- Built in Class II laser pointer
- Impact resistant plastic housing
- Two moveable temperature measurement cursors
- Microsoft compatible Pocket PC and PC software
- Stores up to 1000 images / MB of memory
- Safely housed imaging optics, detector, drive electronics and optical modulator
- High temperature options available

SPECIFICATIONS
Standard temp range: -10°C to +300°C
Field of View (FoV): 20° x 20°
Spectral response: Long Wave 8–14µm
Sensitivity: 0.30K @ 30°C
Displayed image: 128 x 128 pixels
Frame rate: Real Time - 8Hz
Dimensions: 120mmx125mmx80mm
Weight: < 600g (not including pocket PC)
Housing: Impact resistant plastic

APPLICATIONS

Insurance
- Regulatory checks required for insurance purposes
- End-users and contractors alike

Safety
- Ideal for safety inspections of electrical equipment
- Post-installation checks

Electrical
- Electrical switchboards, transformers, breakers
- HVAC troubleshooting

Mechanical
- Predictive & preventative maintenance
- Process monitoring
- Mechanical equipment

OPTION 1 - IRISYS BASIC SOFTWARE
(supplied at no cost with standard camera package)



FEATURES
- Automatic image download
- Emissivity
- 2 palletes
- Timed scanning
- Requires cut and paste to MS word

OPTION 2 – IRISYS ADVANCED SOFTWARE
(extra cost detailed below)





FEATURES
- Drag & drop report building
- MS Word based software
- Combined Thermal and Visual Pictures
- Notes easily added

IRISYS CAMERA OPTIONS
- high temp to 1000 deg C (standard camera temp = 300 deg C)
- narrow 10 degree FOV (standard Field of View = 20 degrees)
- IRI 1002 Fixed Camera multipoint radiometer (measures 256 points) with Software and Alarms.

Model	Description	
IRI 1011	Universal Thermal Imager, including Irisys Basic Software for Pocket PC, 2m RS232 connection cable - imager to PC, iPaq pocket PC & cable, IWI3460 moulded plastic handle, user manual, AC power supply, hard carry case. Includes Irisys PC software.	
IRISW	Advanced Analysis/Reporting Software. Also includes 3.2 MP Digital Camera.	